

	Hits	Search Text	DBs
<b>1</b>	<b>48</b>	((("6167081") or ("5706313") or ("6025888") or ("6483885") or ("6141388") or ("6192503") or ("6374387") or ("6625236") or ("5704365") or ("6137904") or ("5991349") or ("6385751") or ("6421796") or ("5812558") or ("5977826") or ("4247952") or ("5995150") or ("6199037") or ("6370144") or ("6377916") or ("6389031") or ("6771929") or ("5263053") or ("5740203") or ("6104769") or ("5351274") or ("5680419") or ("6081566") or ("4797887") or ("5313495") or ("5406593") or ("5457704") or ("5497401") or ("5502736") or ("5537443") or ("5596607") or ("5689532") or ("5757855") or ("5892801") or ("6047024") or ("6088404") or ("6178209") or ("6222835") or ("6226332") or ("6222835") or ("6226332") or ("4536878") or ("5295159") or ("5420889") or ("5509021")).PN.	<b>USPAT; USOCR</b>
<b>2</b>	<b>20</b>	<b>S1 and fideli\$7</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>0</b>	<b>decod\$7 and (err\$7 near2 estima\$7) and (channel near2 fideli\$7 near2 metric) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>0</b>	<b>decod\$7 and (channel near2 fideli\$7 near2 metric) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>5</b>	<b>0</b>	<b>(channel near2 fideli\$7 near2 metric\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>0</b>	<b>(channel\$7 near2 fideli\$7 near2 metric\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>210</b>	<b>(channel\$7 near2 fideli\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>1</b>	<b>((channel\$7 near2 fideli\$7) near2 decod\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>1</b>	<b>((channel\$7 near2 quali\$7 near2 metric\$7) near2 decod\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>76</b>	<b>(channel\$7 near2 quali\$7 near2 metric\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>43</b>	<b>(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>200</b>	<b>(constellat\$7 near2 distance) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>149</b>	<b>(constellat\$7 near2 distance) and decod\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>14</b>	<b>6</b>	<b>(constellat\$7 near2 distance near2 squar\$7) and decod\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>6</b>	<b>(constellat\$7 near2 distance near2 squar\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>7</b>	<b>(constellat\$7 near2 distanc\$7 near2 squar\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>36</b>	<b>((closest or nearest) near2 distanc\$7 near2 squar\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>16</b>	<b>((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>11</b>	<b>((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and constella\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>11</b>	<b>(US-6484284-\$ or US-6414988-\$ or US-6247158-\$ or US-6215827-\$ or US-6131049-\$ or US-6108374-\$ or US-5604730-\$ or US-5351274-\$ or US-5910959-\$).did. or (EP-944201-\$ or EP-899906-\$).did.</b>	<b>USPAT; EPO</b>
<b>21</b>	<b>3</b>	<b>\$20 and (eras\$7 or delet\$7)</b>	<b>USPAT; EPO</b>
<b>22</b>	<b>2</b>	<b>(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and (keep\$7 and (delet\$7 or eras\$7)) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>23</b>	<b>10</b>	<b>(channel\$7 near2 (fidel\$7 or quali\$7) near2 metric\$7) and decod\$7 and ((keep\$7 or stor\$7 or sav\$7) and (delet\$7 or eras\$7)) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>14</b>	<b>(eras\$7 or delet\$7) near2 symb\$7 near2 channel\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>14</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7) near2 (threshold\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>26</b>	<b>0</b>	<b>2001/0016926.pn.</b>	<b>US-PGPUB</b>
<b>27</b>	<b>1</b>	<b>"20010016926".pn.</b>	<b>US-PGPUB</b>
<b>28</b>	<b>0</b>	<b>("2001/0016926").URPN.</b>	<b>USPAT</b>
<b>29</b>	<b>21</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7 or nois\$7 or impair\$7) near2 (threshold\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>30</b>	<b>7</b>	<b>S29 not S25</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>384</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>32</b>	<b>363</b>	<b>S31 not S29</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>33</b>	<b>109</b>	<b>S32 and (keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>34</b>	<b>0</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (keep\$7 or stor\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>35</b>	<b>0</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 ((keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>36</b>	<b>6</b>	<b>(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>37</b>	<b>54</b>	<b>erasing near2 symbol and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>38</b>	<b>29</b>	<b>(select\$7 or choic\$7 or choos\$7) and (erasing near2 symbol) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>39</b>	<b>2</b>	<b>(select\$7 or choic\$7 or choos\$7) same (erasing near2 symbol) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>40</b>	<b>7</b>	<b>(select\$7 or choic\$7 or choos\$7) and ((erasing near2 symbol) same signal\$7) and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>41</b>	<b>0</b>	<b>"5406593".pn. and probabili\$7 with sir</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>42</b>	<b>0</b>	<b>"5406593".pn. and (probabili\$7 same sir)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>43</b>	<b>2</b>	<b>"5406593".pn. and (probabili\$7 same2 sir)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>44</b>	<b>0</b>	<b>(chang\$7 or modif\$7 or updat\$7) near2 branch near2 metric near2 low\$7 near2 probabili\$7 near2 degrad\$7 near2 channel\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>45</b>	<b>0</b>	<b>(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 low\$7 near7 probabili\$7 near7 degrad\$7 near7 channel\$7 and @ad&lt;"20010608"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	Hits	Search Text	DBs
46	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 degrad\$7 near7 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 low\$7 near7 probabili\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 probabili\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	1	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(chang\$7 or modif\$7 or updat\$7 or set\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	4	branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>53</b>	<b>16</b>	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>54</b>	<b>16</b>	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>55</b>	<b>0</b>	(decod\$7 near2 bas\$3 near2 accurac\$7 near2 error\$7 near2 estimat\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>56</b>	<b>0</b>	(decod\$7 near7 bas\$3 near7 accurac\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>57</b>	<b>21</b>	(decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>58</b>	<b>1</b>	(decod\$7 near7 bas\$3 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>



	Hits	Search Text	DBs
59	10	(decod\$7 near7 bas\$3 near7 (accura\$7 or reliab\$7) near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	1	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) with branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) same branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	6	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) and branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	3	((decod\$7 near7 accura\$7 near7 error\$7) same branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	2	"5942003".pn. or wo-0126318-\$.did. or ep-0991239-\$.did. or EP-0689312-\$.did. or W0-9750198-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB